

# MASTER PL-C 2 Pin

## MASTER PL-C 18W/827/2P 1CT

MASTER PL-C is an efficient medium-wattage compact fluorescent lamp, typically used in general downlights for retail, hospitality and office applications. The original Philips-invented bridge technology guarantees optimum performance in the application, enabling more light and higher efficacy than the bended technology. The 2-pin version is designed for operation on electromagnetic gear and is provided with a plug-in/pull-out lamp base.


#### Product data

#### • General Characteristics

Cap-Base Cap-Base Information Life to 10% failures FM	G24d-2 2P 6500 hr
Life to 50% failures	10000 hr
LSF EM 2000h Rated,	<b>99</b> %
3h cycle LSF EM 4000h Rated,	98 %
3h cycle LSF EM 6000h Rated,	92 %
3h cycle LSF EM 8000h Rated, 3h cycle	78 %
Shicker	

#### • Light Technical Characteristics

Color Code Color Rendering Index	827 [CCT of 2700K] 82 Ra8
Color Designation (text)	Incandescent White
Color Temperature	2700 K
Luminous Flux EM 25°C. Rated	1200 Lm
Luminous Flux EM 25°C, Nominal	1200 Lm
Lum Efficacy Rated	67 Lm/VV
LLMF EM 2000h Bated	92 %
LLMF EM 4000h	87 %
Rated LLMF EM 6000h Rated	84 %



#### • Electrical Characteristics

Lamp Wattage Lamp Wattage EM	18 W 18 W
25°C, Nominal Lamp Wattage EM 25°C, Rated	17.9 W
Lamp Voltage EM 25°C	95 V
Lamp Current EM	0.230 A
Dimmable	No

#### • Environmental Characteristics

Energy Efficiency	В
Label (EEL)	
Mercury (Hg)	1.4 mg
Content	-

#### Product Dimensions

Base Face to Base Face A	109.7 (max) mm
Insertion Length B	128.0 (max) mm
Overall Length C	150.4 (max) mm
Diameter D	27.1 (max) mm
Diameter D1	27.1 (max) mm





# MASTER PL-C 2 Pin

#### • Product Data

Order code Full product code Full product name Order product name

Pieces per pack Packing configuration Packs per outerbox

Bar code on pack -

Warnings and Safety

EAN1

927905782701 927905782701 MASTER PL-C 18W/827/2P 1CT MASTER PL-C 18W/827/2P 1CT/ 5X10CC 1 5X10CC 50 8711500620880

Bar code on inter-
mediate packing -
EAN2
Bar code on
outerbox - EAN3
Logistic code(s) -
12NC
ILCOS code
Net weight per piece

8711500621146

8711500621153


927905782701

FSQ-18/27/1B-I-G24d=2 0.069 kg

• Dimming is not possible

- Use only with electromagnetic control gear
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position


### Dimensional drawing




D1

#### PL-C ALTO 18W/827/2P 1CT

Product	A (Max)	B (Max)	C (Max)	D (Max)	D1 (Max)
PL-C 18W/827/2P	109.7	128.0	150.4	27.1	27.1



### Photometric data





 $\ensuremath{\textcircled{}^{\circ}}$  2013 Koninklijke Philips Electronics N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting