

Техническое описание продукта DULUX S LED EM 4.5 W/840 G23

OSRAM DULUX S LED EM | LED replacement for short CFLni, with 2-pin G23 base for CCG and AC mains operation



– Supermarkets and department stores Walkways and corridors Hotels, restaurants

– Quick, simple and safe replacement without rewiring Low energy consumption Easy relamping thanks to compact design
Operation directly on 230 V AC mains possible



Техническое описание продукта

Technical data

Электрические параметры

ZLDV_Operating frequency [AGGR]	50/60 Hz
ZLDV_Nominal current [AGGR]	21 mA
ZLDV_Claimed equiv. conventional lamp power [AGGR]	9 W

Фотометрические данные

ZLDV_Light color (designation) [AGGR]	Cool White
ZLDV_Luminous flux [AGGR]	500 lm

Светотехнические параметры

ZLDV_Beam angle [AGGR]	140 °
------------------------	-------

Размеры и вес



ZLDV_Overall length [AGGR]	165.00 mm
ZLDV_Product weight [AGGR]	39.00 g

Температуры и условия управления

ZLDV_Ambient temperature range [AGGR]	-20...+50 °C
---------------------------------------	--------------

Срок службы

ZLDV_Lumen maintenance at end of service life [AGGR]	0.7
------------------------------------------------------	-----

Дополнительные данные

ZLDV_Mercury content [AGGR]	0.0 mg
ZLDV_Design / version [AGGR]	Frosted
Утилизация по WEEE	Да
Последующая модель EAN	4058075135307

Техническое описание продукта

Сертификаты и Стандарты

ZLDV_Energy efficiency class [AGGR]	E
ZLDV_Energy consumption [AGGR]	5.00 kWh/1000h

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022
Primary Article Identifier	4058075558045
Declaration No. in SCIP database	In work

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Данные для заказа

Product code	Описание продукта	Упаковка (цена/шт.)	Размеры (длина x ширина x высота)	Объем	Вес брутто
4058075558045	DULUX S LED EM 4.5 W/840 G23	Shipping carton box 10 шт. Folding carton box	114 mm x 79 mm x 182 mm	1.64 дм³	712.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Примечание

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany