





GE Energy SmartTM Pygmy LED1.6/T25/827/100-240V/E14/F TWBL 2/10 TU

93032237

Product information

A new product line in the GE portfolio to suit Special Purpose usage in confined spaces, cabinets and fridge lighting.





Product data

| Bulb Finish White Bulb Diameter [mm] 25 Nominal Length [mm] 59 Net weight per piece [g] 13.5 RoHS compliant Yes Brand TU BL | Product Code | 93032237 |
|--|--------------------------|----------|
| Bulb Diameter [mm] 25 Nominal Length [mm] 59 Net weight per piece [g] 13.5 RoHS compliant Yes Brand TU BL | Bulb Shape | T25 |
| Nominal Length [mm] 59 Net weight per piece [g] 13.5 RoHS compliant Yes Brand TU BL | Bulb Finish | White |
| Net weight per piece [g] 13.5 RoHS compliant Yes Brand TU BL | Bulb Diameter [mm] | 25 |
| RoHS compliant Yes Brand TU BL | Nominal Length [mm] | 59 |
| Brand TU BL | Net weight per piece [g] | 13.5 |
| | RoHS compliant | Yes |
| | Brand | TU BL |
| Cap/Base E14 | Cap/Base | E14 |

Performance data

| Rated efficacy [lm/W] | 87.5 |
|--|-------|
| Energy efficiency class (EEC) | A++ |
| Rated life L70/B50 [h] | 15000 |
| Power factor | 0.4 |
| Nominal correlated colour temperature (CCT) [K]] | 2700 |
| Nominal lumens [lm] | 140 |
| Colour Rendering Index (CRI) [Ra] | 80 |

Electrical data

| Nominal lamp power factor | 0.4 |
|----------------------------------|-------|
| Operating Temperature (MIN) [°C] | -20 |
| Operating Temperature (MAX) [°C] | 40 |
| Number of switching cycles | 15000 |
| Dimming Capability | No |
| Nominal power [W] | 1.6 |
| | |





GE Energy SmartTM Pygmy LED1.6/T25/827/100-240V/E14/F TWBL 2/10 TU

93032237

Logistic data

| 00648945404318 |
|----------------|
| 0064894540431 |
| 10 |
| Blister |
| Carton |
| Available |
| |

Downloads & Links

Go to the catalog site (HTTP)

Product datasheet (PDF)

High-resolution image (JPG)

Datasheets (HTTP)

Images (HTTP)

Lighting design tools & calculators (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)