

MASTER PL-C 2 Pin

MASTER PL-C 18W/827/2P 1CT

MASTER PL-C is an efficient medium-wattage compact fluorescent lamp, typically used in general downlights for retail, hospitality and office applications. The original Philips-invented bridge technology guarantees optimum performance in the application, enabling more light and higher efficacy than the bended technology. The 2-pin version is designed for operation on electromagnetic gear and is provided with a plug-in/pull-out lamp base.

Product data

• General Characteristics

Cap-Base Cap-Base Information Life to 10% failures FM	G24d-2 2P 6500 hr
Life to 50% failures	10000 hr
LSF EM 2000h Rated, 3h cycle	99 %
LSF EM 4000h Rated, 3h cycle	98 %
LSF EM 6000h Rated,	92 %
3h cycle LSF EM 8000h Rated, 3h cycle	78 %

• Light Technical Characteristics

Color Code Color Rendering	827 [CCT of 2700K] 82 Ra8
Index Color Designation	Incandescent White
(text)	
Color Temperature	2700 K
Luminous Flux EM	1200 Lm
25°C, Rated	
Luminous Flux EM	1200 Lm
25°C, Nominal	
Lum Efficacy Rated	67 Lm/W
EM 25°C	
LLMF EM 2000h	92 %
Rated	
LLMF EM 4000h	87 %
Rated	
LLMF EM 6000h	84 %
Rated	

LLMF EM 8000h	81 %
Rated	28 C
Design Temperature Chromaticity Coor-	463 -
dinate X	
Chromaticity Coor-	420 -
dinate Y	

• Electrical Characteristics

18 W
18 W
17.9 W
95 V
0.230 A
No

• Environmental Characteristics

Energy Efficiency	В
Label (EEL)	
Mercury (Hg)	1.4 mg
Content	

Product Dimensions

Base Face to Base	109.7 (max) mm
Face A	
Insertion Length B	128.0 (max) mm
Overall Length C	150.4 (max) mm
Diameter D	27.1 (max) mm
Diameter D1	27.1 (max) mm





MASTER PL-C 2 Pin

• Product Data

Order code 927905782701
Full product code 927905782701
Full product name MASTER PL-C

Full product name MASTER PL-C 18W/827/2P 1CT Order product name MASTER PL-C 18W/827/2P 1CT/

5X10CC

Pieces per pack 1
Packing configuration 5X10CC
Packs per outerbox 50

Bar code on pack - 8711500620880

EAN1

Warnings and Safety

• Use only with electromagnetic control gear

 Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position Bar code on intermediate packing -

EAN2

Bar code on 8711500621153 outerbox - EAN3


Logistic code(s) - 927905782701 12NC

ILCOS code FSQ-18/27/1B-I-G24d=2

Net weight per piece 0.069 kg


• Dimming is not possible

Dimensional drawing




PL-C ALTO 18W/827/2P 1CT

Product	A (Max)	B (Max)	C (Max)	D (Max)	D1 (Max)
PL-C 18W/827/2P	109.7	128.0	150.4	27.1	27.1



MASTER PL-C 2 Pin

Photometric data





 $\ \odot$ 2013 Koninklijke Philips Electronics N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.