



## TL-D Standard Colours <sup>SHOP220</sup>

TL-D 18W/54-765 1SL

TL-D Standard Colors lamps (tube diameter of 26 mm) create atmospheres from warm white to cool daylight. Lamps with moderate efficacy and color rendering.

**PHILIPS**  
sense and simplicity

## Product data

### • General Characteristics

Cap-Base	G13 [Medium Bi-Pin Fluorescent]
Bulb	T8 [26 mm]
Life to 10% failures EM	10000 hr
Life to 50% failures EM	13000 hr

### • Light Technical Characteristics

Color Code	54-765
Color Rendering Index	72 Ra8
Color Designation (text)	Cool Daylight
Color Temperature	6200 K
Luminous Flux Lamp EM	1050 Lm
Lumen Maintenance 2000h	90 %
Lumen Maintenance 5000h	80 %
Lumen Maintenance 10000h	75 %
Lumen Maintenance 15000h	70 %
Luminance Average EM	0.75 cd/cm2
Chromaticity Coordinate X	315 -
Chromaticity Coordinate Y	341 -

### • Electrical Characteristics

Lamp Wattage	18 W
Lamp Wattage EM	18.0 W

Lamp Voltage	59 V
Lamp Current EM	0.360 A
Dimmable	Yes

### • Environmental Characteristics

Energy Efficiency Label (EEL)	B
Mercury (Hg) Content	8.0 mg


### • Product Dimensions

Base Face to Base Face A	589.8 (max) mm
Insertion Length B	594.5 (min), 596.9 (max) mm
Overall Length C	604 (max) mm
Diameter D	28 (max) mm

### • Product Data


Order code	928048005453
Full product code	928048005453
Full product name	TL-D 18W/54-765 1SL
Order product name	TL-D 18W/54-765 1SL/25
Pieces per pack	1
Packing configuration	25
Packs per outerbox	25
Bar code on pack - EAN1	6923410770209
Bar code on outerbox - EAN3	6923410770216
Logistic code(s) - 12NC	928048005453
ILCOS code	FD-18/62/2A-E-G13
Net weight per piece	0.070 kg

## Dimensional drawing





TL-D 18W/54-765 1SL

Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL-D 18W/54-765	589.8	594.5	596.9	604	28



G13

## Photometric data



© 2013 Koninklijke Philips Electronics N.V.  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2013, January 31  
data subject to change