



# Техническое описание продукта P CLAS A DIM 10.5 W/827 E27

PARATHOM CLASSIC A DIM | Диммируемые светодиодные лампы классической формы



- Domestic applications General illumination Outdoor use in outdoor luminaires only (minimum IP65)

- Low energy consumption High color consistency thanks to narrow binning Easy replacement of classic lamps thanks to compact design



## Техническое описание продукта

### Technical data

#### Электрические параметры

ZLDV_Operating frequency [AGGR]	50...60 Hz
ZLDV_Nominal current [AGGR]	70 mA
ZLDV_Claimed equiv. conventional lamp power [AGGR]	75 W


#### Фотометрические данные

ZLDV_Light color (designation) [AGGR]	Warm White
ZLDV_Luminous flux [AGGR]	1055 lm

#### Светотехнические параметры

ZLDV_Beam angle [AGGR]	220 °
------------------------	-------

#### Размеры и вес



ZLDV_Overall length [AGGR]	110.00 mm
ZLDV_Product weight [AGGR]	43.00 g

#### Температуры и условия управления

ZLDV_Ambient temperature range [AGGR]	-20...+40 °C
---------------------------------------	--------------

#### Срок службы

ZLDV_Lumen maintenance at end of service life [AGGR]	0.7
--	-----

#### Дополнительные данные

ZLDV_Mercury content [AGGR]	0.0 mg
ZLDV_Mercury-free [AGGR]	Yes
ZLDV_Design / version [AGGR]	Frosted
Утилизация по WEEE	Да

## Техническое описание продукта

Последующая модель EAN	4058075594203
ZLDV_Product remark [AGGR]	All technical parameters apply to the entire lamp   Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value   LED lamps contain several electronic components. Under unfavourable conditions these can lead to acoustic noise. In case of resonance even low noise can cause audible effect. Possible factors influencing this are the installation, the design of the lamp holder and the luminaire (acoustic resonance effect) as well as the dimmer or the transformer (harmonics or electronic resonance)
Последующая модель EAN	4058075292574, 4058075462595

### Сертификаты и Стандарты

ZLDV_Energy efficiency class [AGGR]	F
ZLDV_Energy consumption [AGGR]	11.00 kWh/1000h

### Классификация

ZLDV_ILCOS [AGGR]	DRAA/F-10,5/827-220-240-E27-60
-------------------	--------------------------------

### Environmental information

<b>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)</b>	
Date of Declaration	18-04-2022
Primary Article Identifier	4058075462595   4058075594203
Declaration No. in SCIP database	In work

### Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

### Данные для заказа

Product code	Описание продукта	Упаковка (цена/шт.)	Размеры (длина x ширина x высота)	Объем	Вес брутто
4058075462595	P CLAS A DIM 10.5 W/827 E27	Shipping carton box 10 шт. Folding carton box	325 mm x 136 mm x 126 mm	5.57 дм <sup>3</sup>	663.00 g

## Техническое описание продукта

---

4058075594203	P CLAS A DIM 10.5 W/827 E27	Shipping carton box 10 шт. Folding carton box	325 mm x 136 mm x 126 mm	5.57 дм <sup>3</sup>	533.00 g
---------------	--------------------------------	---	-----------------------------	----------------------	----------

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Примечание

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner  
of LEDVANCE of LAMPS

**OSRAM**

OSRAM GmbH  
Marcel-Breuer-Strasse 6  
80807 Munich, Germany