

# Техническое описание продукта DULUX L 36 W/840 2G11

OSRAM DULUX L LUMILUX | Компактные люминесцентные лампы не интегрированные для ЭПРА и ЭМПРА, цоколь 2G11



## Техническое описание продукта

### Technical data

#### Электрические параметры

ZLDV_Nominal current [AGGR]	0.43 A
-----------------------------	--------

#### Фотометрические данные

ZLDV_Light color (designation) [AGGR]	LUMILUX Cool White
ZLDV_Rated LLMF at 4,000 h [AGGR]	0.9
ZLDV_Rated LLMF at 6,000 h [AGGR]	0.88
ZLDV_Rated LLMF at 8,000 h [AGGR]	0.85
ZLDV_Rated LLMF at 12,000 h [AGGR]	0.84
ZLDV_Rated LLMF at 16,000 h [AGGR]	0.81
ZLDV_Rated LLMF at 20,000 h [AGGR]	0.8
ZLDV_Luminous flux [AGGR]	2600 lm
Индекс цветопередачи Ra	≥80

#### Размеры и вес



ZLDV_Overall length [AGGR]	415.00 mm
ZLDV_Tube diameter [AGGR]	17,5 mm
ZLDV_Length with base excl. base pins/connection [AGGR]	409 mm
ZLDV_Product weight [AGGR]	94.29 g

#### Температуры и условия управления

ZLDV_Ambient temperature range [AGGR]	-5...+40 °C
---------------------------------------	-------------

#### Срок службы

ZLDV_Service life [AGGR]	13000 h
Номинальный срок службы	20000 h

## Техническое описание продукта

### Дополнительные данные

ZLDV_Mercury content [AGGR]	3.5 mg
Утилизация по WEEE	Да
ZLDV_Product remark [AGGR]	For ECG and CCG operation

### Сертификаты и Стандарты

ZLDV_Energy efficiency class [AGGR]	G
ZLDV_Energy consumption [AGGR]	38.00 kWh/1000h

### Классификация


ZLDV_ILCOS [AGGR]	FSD-36/840-E-2G11-43,9/411
-------------------	----------------------------

### Environmental information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022
Primary Article Identifier	4050300010786
Declaration No. in SCIP database	In work

### Оборудование/аксессуары

- Подходит для стандартных ПРА и пусковых устройств
- Подходит для использования с электронным и обычным ПРА




SERIES CONNECTION WITH QUICKTRONIC



SINGLE LAMP WITH QUICKTRONIC

## Техническое описание продукта



SINGLE LAMP STARTER ST 111 OR ST 171

### Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

### Данные для заказа

Product code	Описание продукта	Упаковка (цена/шт.)	Размеры (длина x ширина x высота)	Объем	Вес брутто
4050300010786	DULUX L 36 W/840 2G11	Shipping carton box 10 шт. Folding carton box	455 mm x 119 mm x 136 mm	7.36 дм <sup>3</sup>	1410.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Техническое описание продукта

---

### Примечание

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner  
of LEDVANCE of LAMPS

**OSRAM**

OSRAM GmbH  
Marcel-Breuer-Strasse 6  
80807 Munich, Germany