ЕВРАЗИЙСКИЙ ЭКОНОМИЧЕСКИЙ СОЮЗ

SHOP220

СЕРТИФИКАТ СООТВЕТСТВИЯ

ЕАС

№ ЕАЭС RU C-CN.HB93.B.03276/23

Серия RU № 0456223

ОРГАН ПО СЕРТИФИКАЦИИ Общества с ограниченной ответственностью "ПРОФЕССИОНАЛ". Место нахождения: 125212, Россия, город Москва, улица Адмирала Макарова, дом 8 строение 1, этаж 4, помещение XVI, комната 31, адрес места осуществления деятельности: 125212, Россия, город Москва, улица Адмирала Макарова, дом 8 строение 1, помещение XVI, комната 31, телефон: +7 9060965802, адрес электронной почты: info@professionalsert.ru . Аттестат аккредитации (уникальный номер записи об аккредитации) № RA.RU.11HB93, дата регистрации 03.02.2021 года.

ЗАЯВИТЕЛЬ Общество с ограниченной ответственностью "СДС". Место нахождения и адрес места осуществления деятельности: Российская Федерация, Москва, 123060, улица Маршала Соколовского, дом 3, Эт 5 пом I Ком 3, основной государственный регистрационный номер: 1197746331045, номер телефона: +74952252520, адрес электронной почты: sds.certification@gmail.com

ИЗГОТОВИТЕЛЬ «Fairy Light Technology Co., Ltd». Место нахождения и адрес места осуществления деятельности по изготовлению продукции: №7 Fengsui Street, West District, Zhongshan, Guangdong, координаты (22.532004, 113.388849), Китай

ПРОДУКЦИЯ Оборудование световое общего назначения: гирлянды светодиодные бытовые, торговая марка: «Neon-Night», модели согласно приложению № 2, количество листов: 3, бланки №№ 0964569, 0964570, 0964571. Серийный выпуск

КОД ТН ВЭД ЕАЭС 9405300001

СООТВЕТСТВУЕТ ТРЕБОВАНИЯМ Технический регламент Таможенного союза «О безопасности низковольтного оборудования» (ТР ТС 004/2011), Технический регламент Таможенного союза «Электромагнитная совместимость технических средств» (ТР ТС 020/2011)

СЕРТИФИКАТ СООТВЕТСТВИЯ ВЫДАН НА ОСНОВАНИИ Протокола испытаний № 05052023-01 от 23.05.2023 года, выданного Испытательным центром Общества с ограниченной ответственностью «ИЛ им. Максвелл», аттестат аккредитации (уникальный номер записи об аккредитации) RA.RU.21ОН05. Руководства по эксплуатации. Акта анализа состояния производства № С-20230427-005 от 03.05.2023 года, выданного ОС ООО "ПРОФЕССИОНАЛ", аттестат аккредитации (уникальный номер записи об аккредитации) RA.RU.11HB93 от 03.02.2021 года, эксперт Кочан Александра Сергеевна.
Схема сертификации 1с

ДОПОЛНИТЕЛЬНАЯ ИНФОРМАЦИЯ Обозначения и наименования стандартов согласно приложению № 1, количество листов: 1, бланк № 0964568. Условия хранения продукции в соответствии с ГОСТ 15150-69. Срок хранения (службы) указан в прилагаемой к продукции эксплуатационной документации. Сертификат распространяется на продукцию, изготовленную с даты изготовления отобранных образцов продукции. Образцы изготовлены 08.2021. Договор на выполнение функций иностранного изготовителя № 050922-1 от 05.09.2022 года

СРОК ДЕЙСТВИЯ С 23.05.2023 **ПО** 22.05.2028 **ВКЛЮЧИТЕЛЬНО**

Руководитель (уполномоченное лицо) органа по сертификации _____ (подпись) Шведов Владимир Леонидович (Ф.И.О.)

М.П.

Эксперт (эксперт-аудитор) (эксперты (эксперты-аудиторы)) _____ (подпись) Голиков Владислав Андреевич (Ф.И.О.)

ОБЩЕСТВО С ОГРАНИЧЕННОЙ ОТВЕТСТВЕННОСТЬЮ «ПРОФЕССИОНАЛЪ» ДЛЯ СЕРТИФИКАТОВ RA.RU.11HB93 МОСКВА

АО «Оптисан», Москва, 2020 г., «Б», ТЗ № 334

ЕВРАЗИЙСКИЙ ЭКОНОМИЧЕСКИЙ СОЮЗ

ПРИЛОЖЕНИЕ

К СЕРТИФИКАТУ СООТВЕТСТВИЯ № ЕАЭС RU C-CN.HB93.B.03276/23

Серия RU № 0964568

Сведения о национальных стандартах (сводах правил), применяемых на добровольной основе для соблюдения требований технического регламента

Наименование и обозначение стандарта, нормативного документа	Раздел (пункт, подпункт) стандарта, нормативного документа	Дополнительные сведения о стандарте, нормативном документе
ГОСТ IEC 60598-2-20-2012 "Светильники. Часть 2-20. Частные требования. Световые гирлянды"	стандарт в целом	
ГОСТ IEC 62471-2013 "Фотобиологическая безопасность ламп и ламповых систем"	стандарт в целом	
ГОСТ IEC 62493-2014 "Оценка осветительного оборудования, связанная с влиянием на человека электромагнитных полей"	стандарт в целом	
ГОСТ IEC 61000-3-2-2017 "Электромагнитная совместимость (ЭМС). Часть 3-2. Нормы. Нормы эмиссии гармонического тока (оборудование с потребляемым током не более 16 А в одной фазе)"	разделы 5 и 7	
ГОСТ IEC 61000-3-3-2015 "Электромагнитная совместимость (ЭМС). Часть 3-3. Нормы. Ограничение изменений напряжения, колебаний напряжения и фликера в общественных низковольтных системах электроснабжения для оборудования с номинальным током не более 16 А (в одной фазе), подключаемого к сети электропитания без особых условий"	разделы 4 и 6	
ГОСТ IEC 61547-2013 "Электромагнитная совместимость. Помехоустойчивость светового оборудования общего назначения. Требования и методы испытаний"	раздел 5	
ГОСТ CISPR 15-2014 "Нормы и методы измерений характеристик радиопомех от электрического светового и аналогичного оборудования"	разделы 4 и 5	
ГОСТ IEC 60598-1-2013 "Светильники. Часть 1. Общие требования и методы испытаний"	стандарт в целом	

Руководитель (уполномоченное лицо) органа по сертификации (подпись) Шведов Владимир Леонидович (Ф.И.О.)

М.П.

Эксперт (эксперт-аудитор) (эксперты (эксперты-аудиторы)) (подпись) Голиков Владислав Андреевич (Ф.И.О.)

ОБЩЕСТВО С ОГРАНИЧЕННОЙ ОТВЕТСТВЕННОСТЬЮ «ПРОФЕССИОНАЛ» ДЛЯ СЕРТИФИКАТОВ МОСКВА RA.RU.11HB93

АО «ОПЦИОН», Москва, 2020 г., «Б», ТД № 845

ЕВРАЗИЙСКИЙ ЭКОНОМИЧЕСКИЙ СОЮЗ

ПРИЛОЖЕНИЕ

К СЕРТИФИКАТУ СООТВЕТСТВИЯ № ЕАЭС RU C-CN.HB93.B.03276/23

Серия RU № 0964569

Перечень продукции, на которую распространяется действие сертификата соответствия

Код ТН ВЭД ЕАЭС	Наименование, типы, марки, модели однородной продукции, составные части изделия или комплекса
9405300001	Оборудование световое общего назначения: гирлянды светодиодные бытовые, торговая марка «Neon-Night», модели: LED-CURTAIN-230V-IN-W, LED-CURTAIN-230V-IN-WW, LED-CURTAIN-230V-IN-Y, LED-CURTAIN-230V-IN-G, LED-CURTAIN-230V-IN-R, LED-CURTAIN-230V-IN-B, LED-CURTAIN-230V-IN-M, LED-CURTAIN-230V-IN-P, LED-CURTAIN-230V-IN-O, LED-CURTAIN-230V-IN-V, LED-CURTAIN-230V-IN-GD, LED-CURTAIN-230V-IN-RGB, LED-CURTAIN-230V-IN-W/WW, LED-CURTAIN-230V-IN-W/B, LED-CURTAIN-230V-IN-W/M, LED-CURTAIN-230V-IN-WW/M, LED-CURTAIN-230V-IN-W/R, LED-CURTAIN-230V-IN-LB, LED-CURTAIN-230V-IN-LG, LED-CURTAIN-230V-IN-B/R, LED-CURTAIN-230V-OUT-W, LED-CURTAIN-230V-OUT-WW, LED-CURTAIN-230V-OUT-Y, LED-CURTAIN-230V-OUT-G, LED-CURTAIN-230V-OUT-R, LED-CURTAIN-230V-OUT-B, LED-CURTAIN-230V-OUT-M, LED-CURTAIN-230V-OUT-P, LED-CURTAIN-230V-OUT-O, LED-CURTAIN-230V-OUT-V, LED-CURTAIN-230V-OUT-GD, LED-CURTAIN-230V-OUT-RGB, LED-CURTAIN-230V-OUT-W/WW, LED-CURTAIN-230V-OUT-W/B, LED-CURTAIN-230V-OUT-W/M, LED-CURTAIN-230V-OUT-WW/M, LED-CURTAIN-230V-OUT-W/R, LED-CURTAIN-230V-OUT-LB, LED-CURTAIN-230V-OUT-LG, LED-CURTAIN-230V-OUT-B/R, LED-ICICLE-230V-IN-W, LED-ICICLE-230V-IN-WW, LED-ICICLE-230V-IN-Y, LED-ICICLE-230V-IN-G, LED-ICICLE-230V-IN-R, LED-ICICLE-230V-IN-B, LED-ICICLE-230V-IN-M, LED-ICICLE-230V-IN-P, LED-ICICLE-230V-IN-O, LED-ICICLE-230V-IN-V, LED-ICICLE-230V-IN-GD, LED-ICICLE-230V-IN-RGB,
9405300001	Оборудование световое общего назначения: гирлянды светодиодные бытовые, торговая марка «Neon-Night», модели: LED-ICICLE-230V-IN-W/WW, LED-ICICLE-230V-IN-W/B, LED-ICICLE-230V-IN-W/M, LED-ICICLE-230V-IN-WW/M, LED-ICICLE-230V-IN-W/R, LED-ICICLE-230V-IN-LB, LED-ICICLE-230V-IN-LG, LED-ICICLE-230V-IN-B/R, LED-ICICLE-230V-OUT-W, LED-ICICLE-230V-OUT-WW, LED-ICICLE-230V-OUT-Y, LED-ICICLE-230V-OUT-G, LED-ICICLE-230V-OUT-R, LED-ICICLE-230V-OUT-B, LED-ICICLE-230V-OUT-M, LED-ICICLE-230V-OUT-P, LED-ICICLE-230V-OUT-O, LED-ICICLE-230V-OUT-V, LED-ICICLE-230V-OUT-GD, LED-ICICLE-230V-OUT-RGB, LED-ICICLE-230V-OUT-W/WW, LED-ICICLE-230V-OUT-W/B, LED-ICICLE-230V-OUT-W/M, LED-ICICLE-230V-OUT-WW/M, LED-ICICLE-230V-OUT-W/R, LED-ICICLE-230V-OUT-LB, LED-ICICLE-230V-OUT-LG, LED-ICICLE-230V-OUT-B/R, LED-STRING-230V-IN-W, LED-STRING-230V-IN-WW, LED-STRING-230V-IN-Y, LED-STRING-230V-IN-G, LED-STRING-230V-IN-R, LED-STRING-230V-IN-B, LED-STRING-230V-IN-M, LED-STRING-230V-IN-P, LED-STRING-230V-IN-O, LED-STRING-230V-IN-V, LED-STRING-230V-IN-GD, LED-STRING-230V-IN-RGB, LED-STRING-230V-IN-W/WW, LED-STRING-230V-IN-W/B, LED-STRING-230V-IN-W/M, LED-STRING-230V-IN-WW/M, LED-STRING-230V-IN-W/R, LED-STRING-230V-IN-LB, LED-STRING-230V-IN-LG, LED-STRING-230V-IN-B/R, LED-STRING-230V-OUT-W, LED-STRING-230V-OUT-WW, LED-STRING-230V-OUT-Y, LED-STRING-230V-OUT-G, LED-STRING-230V-OUT-R, LED-STRING-230V-OUT-B, LED-STRING-230V-OUT-M, LED-STRING-230V-OUT-P, LED-STRING-230V-OUT-O, LED-STRING-230V-OUT-V, LED-STRING-230V-OUT-GD, LED-STRING-230V-OUT-RGB, LED-STRING-230V-OUT-W/WW, LED-STRING-230V-OUT-W/B, LED-STRING-230V-OUT-W/M, LED-STRING-230V-OUT-WW/M, LED-STRING-230V-OUT-W/R, LED-STRING-230V-OUT-LB, LED-STRING-230V-OUT-LG, LED-STRING-230V-OUT-B/R, LED-NET-230V-IN-W, LED-NET-230V-IN-WW, LED-NET-230V-IN-Y, LED-NET-230V-IN-G, LED-NET-230V-IN-R, LED-NET-230V-IN-B, LED-NET-230V-IN-M, LED-NET-230V-IN-P, LED-NET-230V-IN-O, LED-NET-230V-IN-V, LED-NET-230V-IN-GD, LED-NET-230V-IN-RGB, LED-NET-230V-IN-W/WW, LED-NET-230V-IN-W/B, LED-NET-230V-IN-W/M, LED-NET-230V-IN-WW/M, LED-NET-230V-IN-W/R, LED-NET-230V-IN-LB, LED-NET-230V-IN-LG, LED-NET-230V-IN-B/R, LED-NET-230V-OUT-W, LED-NET-230V-OUT-WW, LED-NET-230V-OUT-Y, LED-NET-230V-OUT-G, LED-NET-230V-OUT-R, LED-NET-230V-OUT-B, LED-NET-230V-OUT-M, LED-NET-230V-OUT-P, LED-NET-230V-OUT-O, LED-NET-230V-OUT-V, LED-NET-230V-OUT-GD, LED-NET-230V-OUT-RGB, LED-NET-230V-OUT-W/WW, LED-NET-230V-OUT-W/B, LED-NET-230V-OUT-W/M, LED-NET-230V-OUT-WW/M, LED-NET-230V-OUT-W/R, LED-NET-230V-OUT-LB, LED-NET-230V-OUT-LG, LED-NET-230V-OUT-B/R, LED-TWINKLE-230V-IN-W, LED-TWINKLE-230V-IN-WW, LED-TWINKLE-230V-IN-Y, LED-TWINKLE-230V-IN-G, LED-TWINKLE-230V-IN-R, LED-TWINKLE-230V-IN-B, LED-TWINKLE-230V-IN-M, LED-TWINKLE-230V-IN-P, LED-TWINKLE-230V-IN-O, LED-TWINKLE-230V-IN-V, LED-TWINKLE-230V-IN-GD,
9405300001	Оборудование световое общего назначения: гирлянды светодиодные бытовые, торговая марка «Neon-Night», модели: LED-TWINKLE-230V-IN-RGB, LED-TWINKLE-230V-IN-W/WW, LED-TWINKLE-230V-IN-W/B, LED-TWINKLE-230V-IN-W/M, LED-TWINKLE-230V-IN-WW/M, LED-TWINKLE-230V-IN-W/R, LED-TWINKLE-230V-IN-LB, LED-TWINKLE-230V-IN-LG, LED-TWINKLE-230V-IN-B/R, LED-TWINKLE-230V-OUT-W, LED-TWINKLE-230V-OUT-WW, LED-TWINKLE-230V-OUT-Y, LED-TWINKLE-230V-OUT-G, LED-TWINKLE-230V-OUT-R, LED-TWINKLE-230V-OUT-B, LED-TWINKLE-230V-OUT-M, LED-TWINKLE-230V-OUT-P, LED-TWINKLE-230V-OUT-O, LED-TWINKLE-230V-OUT-V, LED-TWINKLE-230V-OUT-GD, LED-TWINKLE-230V-OUT-RGB, LED-TWINKLE-230V-OUT-W/WW, LED-TWINKLE-230V-OUT-W/B, LED-TWINKLE-230V-OUT-W/M, LED-TWINKLE-230V-OUT-WW/M, LED-TWINKLE-230V-OUT-W/R, LED-TWINKLE-230V-OUT-LB, LED-TWINKLE-230V-OUT-LG, LED-TWINKLE-230V-OUT-B/R, LED-CLIP-230V-OUT-W, LED-CLIP-230V-OUT-WW, LED-CLIP-230V-OUT-Y, LED-CLIP-230V-OUT-G, LED-CLIP-230V-OUT-R, LED-CLIP-230V-OUT-B, LED-CLIP-230V-OUT-M, LED-CLIP-230V-OUT-P, LED-CLIP-230V-OUT-O, LED-CLIP-230V-OUT-V, LED-CLIP-230V-OUT-GD, LED-CLIP-230V-OUT-RGB, LED-CLIP-230V-OUT-W/WW, LED-CLIP-230V-OUT-W/B, LED-CLIP-230V-OUT-W/M, LED-CLIP-230V-OUT-WW/M, LED-CLIP-230V-OUT-W/R, LED-CLIP-230V-OUT-LB, LED-CLIP-230V-OUT-LG, LED-CLIP-230V-OUT-B/R, LED-CLIP-ROLL-230V-OUT-W, LED-CLIP-ROLL-230V-OUT-WW, LED-CLIP-ROLL-230V-OUT-Y, LED-CLIP-ROLL-230V-OUT-G, LED-CLIP-ROLL-230V-OUT-R, LED-CLIP-ROLL-230V-OUT-B, LED-CLIP-ROLL-230V-OUT-M, LED-CLIP-ROLL-230V-OUT-P, LED-CLIP-ROLL-230V-OUT-O, LED-CLIP-ROLL-230V-OUT-V, LED-CLIP-ROLL-230V-OUT-GD, LED-CLIP-ROLL-230V-OUT-RGB, LED-CLIP-ROLL-230V-OUT-W/WW, LED-CLIP-ROLL-230V-OUT-W/B, LED-CLIP-ROLL-230V-OUT-W/M, LED-CLIP-ROLL-230V-OUT-WW/M, LED-CLIP-ROLL-230V-OUT-W/R, LED-CLIP-ROLL-230V-OUT-LB, LED-CLIP-ROLL-230V-OUT-LG, LED-CLIP-ROLL-230V-OUT-B/R, LED-BALLS-230V-IN-W, LED-BALLS-230V-IN-WW, LED-BALLS-230V-IN-Y, LED-BALLS-230V-IN-G, LED-BALLS-230V-IN-R, LED-BALLS-230V-IN-B, LED-BALLS-230V-IN-M, LED-BALLS-230V-IN-P, LED-BALLS-230V-IN-O, LED-BALLS-230V-IN-V, LED-BALLS-230V-IN-GD, LED-BALLS-230V-IN-RGB, LED-BALLS-230V-IN-W/WW, LED-BALLS-230V-IN-W/B, LED-BALLS-230V-IN-W/M, LED-BALLS-230V-IN-WW/M, LED-BALLS-230V-IN-W/R, LED-BALLS-230V-IN-LB, LED-BALLS-230V-IN-LG, LED-BALLS-230V-IN-B/R, LED-BALLS-230V-OUT-W, LED-BALLS-230V-OUT-WW, LED-BALLS-230V-OUT-Y, LED-BALLS-230V-OUT-G, LED-BALLS-230V-OUT-R, LED-BALLS-230V-OUT-B, LED-BALLS-230V-OUT-M, LED-BALLS-230V-OUT-P, LED-BALLS-230V-OUT-O, LED-BALLS-230V-OUT-V, LED-BALLS-230V-OUT-GD, LED-BALLS-230V-OUT-RGB, LED-BALLS-230V-OUT-W/WW, LED-BALLS-230V-OUT-W/B, LED-BALLS-230V-OUT-W/M, LED-BALLS-230V-OUT-WW/M, LED-BALLS-230V-OUT-W/R, LED-BALLS-230V-OUT-LB, LED-BALLS-230V-OUT-LG, LED-BALLS-230V-OUT-B/R, LED-CLUSTER-230V-IN-W, LED-CLUSTER-230V-IN-WW, LED-CLUSTER-230V-IN-Y, LED-CLUSTER-

Руководитель (уполномоченное лицо) органа по сертификации (подпись) Шведов Владимир Леонидович (Ф.И.О.)

М.П.

Эксперт (эксперт-аудитор) (эксперты (эксперты-аудиторы)) (подпись) Голиков Владислав Андреевич (Ф.И.О.)

АО «ОПЦИОН», Москва, 2020 г., «Б», ТЗ № 845

ЕВРАЗИЙСКИЙ ЭКОНОМИЧЕСКИЙ СОЮЗ

ПРИЛОЖЕНИЕ

К СЕРТИФИКАТУ СООТВЕТСТВИЯ № ЕАЭС RU C-CN.HB93.B.03276/23

Серия RU № 0964570

Код ТН ВЭД ЕАЭС	Наименование, типы, марки, модели однородной продукции, составные части изделия или комплекса
	230V-IN-G, LED-CLUSTER-230V-IN-R, LED-CLUSTER-230V-IN-B, LED-CLUSTER-230V-IN-M, LED-CLUSTER-230V-IN-P, LED-CLUSTER-230V-IN-O, LED-CLUSTER-230V-IN-V, LED-CLUSTER-230V-IN-GD, LED-CLUSTER-230V-IN-RGB, LED-CLUSTER-230V-IN-W/WW, LED-CLUSTER-230V-IN-W/B,
9405300001	Оборудование световое общего назначения: гирлянды светодиодные бытовые, торговая марка «Neon-Night», модели: LED-CLUSTER-230V-IN-W/M, LED-CLUSTER-230V-IN-WW/M, LED-CLUSTER-230V-IN-W/R, LED-CLUSTER-230V-IN-LB, LED-CLUSTER-230V-IN-LG, LED-CLUSTER-230V-IN-B/R, LED-CLUSTER-230V-OUT-W, LED-CLUSTER-230V-OUT-WW, LED-CLUSTER-230V-OUT-Y, LED-CLUSTER-230V-OUT-G, LED-CLUSTER-230V-OUT-R, LED-CLUSTER-230V-OUT-B, LED-CLUSTER-230V-OUT-M, LED-CLUSTER-230V-OUT-P, LED-CLUSTER-230V-OUT-O, LED-CLUSTER-230V-OUT-V, LED-CLUSTER-230V-OUT-GD, LED-CLUSTER-230V-OUT-RGB, LED-CLUSTER-230V-OUT-W/WW, LED-CLUSTER-230V-OUT-W/B, LED-CLUSTER-230V-OUT-W/M, LED-CLUSTER-230V-OUT-WW/M, LED-CLUSTER-230V-OUT-W/R, LED-CLUSTER-230V-OUT-LB, LED-CLUSTER-230V-OUT-LG, LED-CLUSTER-230V-OUT-B/R, LED-MELT-ICICLE-230V-IN-W, LED-MELT-ICICLE-230V-IN-WW, LED-MELT-ICICLE-230V-IN-Y, LED-MELT-ICICLE-230V-IN-G, LED-MELT-ICICLE-230V-IN-R, LED-MELT-ICICLE-230V-IN-B, LED-MELT-ICICLE-230V-IN-M, LED-MELT-ICICLE-230V-IN-P, LED-MELT-ICICLE-230V-IN-O, LED-MELT-ICICLE-230V-IN-V, LED-MELT-ICICLE-230V-IN-GD, LED-MELT-ICICLE-230V-IN-RGB, LED-MELT-ICICLE-230V-IN-W/WW, LED-MELT-ICICLE-230V-IN-W/B, LED-MELT-ICICLE-230V-IN-W/M, LED-MELT-ICICLE-230V-IN-WW/M, LED-MELT-ICICLE-230V-IN-W/R, LED-MELT-ICICLE-230V-IN-LB, LED-MELT-ICICLE-230V-IN-LG, LED-MELT-ICICLE-230V-IN-B/R, LED-MELT-ICICLE-230V-OUT-W, LED-MELT-ICICLE-230V-OUT-WW, LED-MELT-ICICLE-230V-OUT-Y, LED-MELT-ICICLE-230V-OUT-G, LED-MELT-ICICLE-230V-OUT-R, LED-MELT-ICICLE-230V-OUT-B, LED-MELT-ICICLE-230V-OUT-M, LED-MELT-ICICLE-230V-OUT-P, LED-MELT-ICICLE-230V-OUT-O, LED-MELT-ICICLE-230V-OUT-V, LED-MELT-ICICLE-230V-OUT-GD, LED-MELT-ICICLE-230V-OUT-RGB, LED-MELT-ICICLE-230V-OUT-W/WW, LED-MELT-ICICLE-230V-OUT-W/B, LED-MELT-ICICLE-230V-OUT-W/M, LED-MELT-ICICLE-230V-OUT-WW/M, LED-MELT-ICICLE-230V-OUT-W/R, LED-MELT-ICICLE-230V-OUT-LB, LED-MELT-ICICLE-230V-OUT-LG, LED-MELT-ICICLE-230V-OUT-B/R, LED-TINSEL-230V-IN-W, LED-TINSEL-230V-IN-WW, LED-TINSEL-230V-IN-Y, LED-TINSEL-230V-IN-G, LED-TINSEL-230V-IN-R, LED-TINSEL-230V-IN-B, LED-TINSEL-230V-IN-M, LED-TINSEL-230V-IN-P, LED-TINSEL-230V-IN-O, LED-TINSEL-230V-IN-V, LED-TINSEL-230V-IN-GD, LED-TINSEL-230V-IN-RGB, LED-TINSEL-230V-IN-W/WW, LED-TINSEL-230V-IN-W/B, LED-TINSEL-230V-IN-W/M, LED-TINSEL-230V-IN-WW/M, LED-TINSEL-230V-IN-W/R, LED-TINSEL-230V-IN-LB, LED-TINSEL-230V-IN-LG,
9405300001	Оборудование световое общего назначения: гирлянды светодиодные бытовые, торговая марка «Neon-Night», модели: LED-TINSEL-230V-IN-B/R, LED-TINSEL-230V-OUT-W, LED-TINSEL-230V-OUT-WW, LED-TINSEL-230V-OUT-Y, LED-TINSEL-230V-OUT-G, LED-TINSEL-230V-OUT-R, LED-TINSEL-230V-OUT-B, LED-TINSEL-230V-OUT-M, LED-TINSEL-230V-OUT-P, LED-TINSEL-230V-OUT-O, LED-TINSEL-230V-OUT-V, LED-TINSEL-230V-OUT-GD, LED-TINSEL-230V-OUT-RGB, LED-TINSEL-230V-OUT-W/WW, LED-TINSEL-230V-OUT-W/B, LED-TINSEL-230V-OUT-W/M, LED-TINSEL-230V-OUT-WW/M, LED-TINSEL-230V-OUT-W/R, LED-TINSEL-230V-OUT-LB, LED-TINSEL-230V-OUT-LG, LED-TINSEL-230V-OUT-B/R, LED-CONIFER-230V-IN-W, LED-CONIFER-230V-IN-WW, LED-CONIFER-230V-IN-Y, LED-CONIFER-230V-IN-G, LED-CONIFER-230V-IN-R, LED-CONIFER-230V-IN-B, LED-CONIFER-230V-IN-M, LED-CONIFER-230V-IN-P, LED-CONIFER-230V-IN-O, LED-CONIFER-230V-IN-V, LED-CONIFER-230V-IN-GD, LED-CONIFER-230V-IN-RGB, LED-CONIFER-230V-IN-W/WW, LED-CONIFER-230V-IN-W/B, LED-CONIFER-230V-IN-W/M, LED-CONIFER-230V-IN-WW/M, LED-CONIFER-230V-IN-W/R, LED-CONIFER-230V-IN-LB, LED-CONIFER-230V-IN-LG, LED-CONIFER-230V-OUT-W, LED-CONIFER-230V-OUT-WW, LED-CONIFER-230V-OUT-Y, LED-CONIFER-230V-OUT-G, LED-CONIFER-230V-OUT-R, LED-CONIFER-230V-OUT-B, LED-CONIFER-230V-OUT-M, LED-CONIFER-230V-OUT-P, LED-CONIFER-230V-OUT-O, LED-CONIFER-230V-OUT-V, LED-CONIFER-230V-OUT-GD, LED-CONIFER-230V-OUT-RGB, LED-CONIFER-230V-OUT-W/WW, LED-CONIFER-230V-OUT-W/B, LED-CONIFER-230V-OUT-W/M, LED-CONIFER-230V-OUT-WW/M, LED-CONIFER-230V-OUT-W/R, LED-CONIFER-230V-OUT-LB, LED-CONIFER-230V-OUT-LG, LED-CONIFER-230V-OUT-B/R, LED-UNIVERSAL-230V-IN-W, LED-UNIVERSAL-230V-IN-WW, LED-UNIVERSAL-230V-IN-Y, LED-UNIVERSAL-230V-IN-G, LED-UNIVERSAL-230V-IN-R, LED-UNIVERSAL-230V-IN-B, LED-UNIVERSAL-230V-IN-M, LED-UNIVERSAL-230V-IN-P, LED-UNIVERSAL-230V-IN-O, LED-UNIVERSAL-230V-IN-V, LED-UNIVERSAL-230V-IN-GD, LED-UNIVERSAL-230V-IN-RGB, LED-UNIVERSAL-230V-IN-W/WW, LED-UNIVERSAL-230V-IN-W/B, LED-UNIVERSAL-230V-IN-W/M, LED-UNIVERSAL-230V-IN-WW/M, LED-UNIVERSAL-230V-IN-W/R, LED-UNIVERSAL-230V-IN-LB, LED-UNIVERSAL-230V-IN-LG, LED-UNIVERSAL-230V-IN-B/R, LED-UNIVERSAL-230V-OUT-W, LED-UNIVERSAL-230V-OUT-WW, LED-UNIVERSAL-230V-OUT-Y, LED-UNIVERSAL-230V-OUT-G, LED-UNIVERSAL-230V-OUT-R, LED-UNIVERSAL-230V-OUT-B, LED-UNIVERSAL-230V-OUT-M, LED-UNIVERSAL-230V-OUT-P, LED-UNIVERSAL-230V-OUT-O, LED-UNIVERSAL-230V-OUT-V, LED-UNIVERSAL-230V-OUT-GD, LED-UNIVERSAL-230V-OUT-RGB, LED-UNIVERSAL-230V-OUT-W/WW, LED-UNIVERSAL-230V-OUT-W/B, LED-UNIVERSAL-230V-OUT-W/M, LED-UNIVERSAL-230V-OUT-WW/M, LED-UNIVERSAL-230V-OUT-W/R, LED-UNIVERSAL-230V-OUT-LB, LED-UNIVERSAL-230V-OUT-LG, LED-UNIVERSAL-230V-OUT-B/R, LED-CHRISTMAS-230V-IN-W,
9405300001	Оборудование световое общего назначения: гирлянды светодиодные бытовые, торговая марка «Neon-Night», модели: LED-CHRISTMAS-230V-IN-WW, LED-CHRISTMAS-230V-IN-Y, LED-CHRISTMAS-230V-IN-G, LED-CHRISTMAS-230V-IN-R, LED-CHRISTMAS-230V-IN-B, LED-CHRISTMAS-230V-IN-M, LED-CHRISTMAS-230V-IN-P, LED-CHRISTMAS-230V-IN-O, LED-CHRISTMAS-230V-IN-V, LED-CHRISTMAS-230V-IN-GD, LED-CHRISTMAS-230V-IN-RGB, LED-CHRISTMAS-230V-IN-W/WW, LED-CHRISTMAS-230V-IN-W/B, LED-CHRISTMAS-230V-IN-W/M, LED-CHRISTMAS-230V-IN-WW/M, LED-CHRISTMAS-230V-IN-W/R, LED-CHRISTMAS-230V-IN-LB, LED-CHRISTMAS-230V-IN-LG, LED-CHRISTMAS-230V-IN-B/R, LED-CHRISTMAS-230V-OUT-W, LED-CHRISTMAS-230V-OUT-WW, LED-CHRISTMAS-230V-OUT-Y, LED-CHRISTMAS-230V-OUT-G, LED-CHRISTMAS-230V-OUT-R, LED-CHRISTMAS-230V-OUT-B, LED-CHRISTMAS-230V-OUT-M, LED-CHRISTMAS-230V-OUT-P, LED-CHRISTMAS-230V-OUT-O, LED-CHRISTMAS-230V-OUT-V, LED-CHRISTMAS-230V-OUT-GD, LED-CHRISTMAS-230V-OUT-RGB, LED-CHRISTMAS-230V-OUT-W/WW, LED-CHRISTMAS-230V-OUT-W/B, LED-CHRISTMAS-230V-OUT-W/M, LED-CHRISTMAS-230V-OUT-WW/M, LED-CHRISTMAS-230V-OUT-W/R, LED-CHRISTMAS-230V-OUT-LB, LED-CHRISTMAS-230V-OUT-LG, LED-CHRISTMAS-230V-OUT-B/R, LED-CAPS-230V-IN-W, LED-CAPS-230V-IN-WW, LED-CAPS-230V-IN-Y, LED-CAPS-230V-IN-G, LED-CAPS-230V-IN-R, LED-CAPS-230V-IN-B, LED-CAPS-230V-IN-M, LED-CAPS-230V-IN-P, LED-CAPS-230V-IN-O, LED-CAPS-230V-IN-V, LED-CAPS-230V-IN-GD, LED-CAPS-230V-IN-RGB, LED-CAPS-230V-IN-W/WW, LED-CAPS-230V-IN-W/B, LED-CAPS-230V-IN-W/M, LED-CAPS-230V-IN-WW/M, LED-CAPS-230V-IN-W/R, LED-CAPS-230V-IN-LB, LED-CAPS-230V-IN-LG, LED-CAPS-230V-IN-B/R, LED-CAPS-230V-OUT-W, LED-CAPS-230V-OUT-WW, LED-CAPS-230V-OUT-Y, LED-CAPS-230V-OUT-G, LED-CAPS-230V-OUT-R, LED-CAPS-230V-OUT-B, LED-CAPS-230V-OUT-M, LED-CAPS-230V-OUT-P, LED-CAPS-230V-OUT-O, LED-CAPS-230V-OUT-V, LED-CAPS-230V-OUT-GD, LED-CAPS-230V-OUT-RGB, LED-CAPS-

Руководитель (уполномоченное лицо) органа по сертификации (подпись) Шведов Владимир Леонидович (Ф.И.О.)

М.П.

Эксперт (эксперт-аудитор) (эксперты (эксперты-аудиторы)) (подпись) Голиков Владислав Андреевич (Ф.И.О.)

АО «ОПЦИОН», Москва, 2020 г., «Б», ТЗ № 845

ЕВРАЗИЙСКИЙ ЭКОНОМИЧЕСКИЙ СОЮЗ

ПРИЛОЖЕНИЕ

К СЕРТИФИКАТУ СООТВЕТСТВИЯ № ЕАЭС RU C-CN.HB93.B.03276/23

Серия RU № 0964571

Код ТН ВЭД ЕАЭС	Наименование, типы, марки, модели однородной продукции, составные части изделия или комплекса
	230V-OUT-W/WW, LED-CAPS-230V-OUT-W/B, LED-CAPS-230V-OUT-W/M, LED-CAPS-230V-OUT-WW/M, LED-CAPS-230V-OUT-W/R, LED-CAPS-230V-OUT-LB, LED-CAPS-230V-OUT-LG, LED-CAPS-230V-OUT-B/R, LED-DEW-230V-IN-W, LED-DEW-230V-IN-WW, LED-DEW-230V-IN-Y, LED-DEW-230V-IN-G, LED-DEW-230V-IN-R, LED-DEW-230V-IN-B, LED-DEW-230V-IN-M, LED-DEW-230V-IN-P, LED-DEW-230V-IN-O, LED-DEW-230V-IN-V, LED-DEW-230V-IN-GD, LED-DEW-230V-IN-RGB, LED-DEW-230V-IN-W/WW, LED-DEW-230V-IN-W/B, LED-DEW-230V-IN-W/M, LED-DEW-230V-IN-WW/M, LED-DEW-230V-IN-W/R, LED-DEW-230V-IN-LB, LED-DEW-230V-IN-LG, LED-DEW-230V-IN-B/R, LED-DEW-230V-OUT-W, LED-DEW-230V-OUT-WW, LED-DEW-230V-OUT-Y, LED-DEW-230V-OUT-G, LED-DEW-230V-OUT-R, LED-DEW-230V-OUT-B, LED-DEW-230V-OUT-M, LED-DEW-230V-OUT-P, LED-DEW-230V-OUT-O, LED-DEW-230V-OUT-V, LED-DEW-230V-OUT-GD, LED-DEW-230V-OUT-RGB, LED-DEW-230V-OUT-W/WW, LED-DEW-230V-OUT-W/B, LED-DEW-230V-OUT-W/M, LED-DEW-230V-OUT-WW/M, LED-DEW-230V-OUT-W/R, LED-DEW-230V-OUT-LB, LED-DEW-230V-OUT-LG, LED-DEW-230V-OUT-B/R, BELT-2W-IN, BELT-5W-IN, BELT-2W-OUT, BELT-5W-OUT, RPL-2W-230V-W, RPL-2W-230V-WW, RPL-2W-230V-Y, RPL-2W-230V-G, RPL-2W-230V-R, RPL-2W-230V-B, RPL-2W-230V-M, RPL-2W-230V-P, RPL-2W-230V-O, RPL-2W-230V-V, RPL-2W-230V-GD,
9405300001	Оборудование световое общего назначения: гирлянды светодиодные бытовые, торговая марка «Neon-Night», модели: RPL-2W-230V-RGB, RPL-2W-230V-W/WW, RPL-2W-230V-W/B, RPL-2W-230V-W/M, RPL-2W-230V-WW/M, RPL-2W-230V-W/R, RPL-2W-230V-LB, RPL-2W-230V-LG, RPL-2W-230V-B/R, RPL-3W-230V-W, RPL-3W-230V-WW, RPL-3W-230V-Y, RPL-3W-230V-G, RPL-3W-230V-R, RPL-3W-230V-B, RPL-3W-230V-M, RPL-3W-230V-P, RPL-3W-230V-O, RPL-3W-230V-V, RPL-3W-230V-GD, RPL-3W-230V-RGB, RPL-3W-230V-W/WW, RPL-3W-230V-W/B, RPL-3W-230V-W/M, RPL-3W-230V-WW/M, RPL-3W-230V-W/R, RPL-3W-230V-LB, RPL-3W-230V-LG, RPL-3W-230V-B/R, RPL-4W-230V-W, RPL-4W-230V-WW, RPL-4W-230V-Y, RPL-4W-230V-G, RPL-4W-230V-R, RPL-4W-230V-B, RPL-4W-230V-M, RPL-4W-230V-P, RPL-4W-230V-O, RPL-4W-230V-V, RPL-4W-230V-GD, RPL-4W-230V-RGB, RPL-4W-230V-W/WW, RPL-4W-230V-W/B, RPL-4W-230V-W/M, RPL-4W-230V-WW/M, RPL-4W-230V-W/R, RPL-4W-230V-LB, RPL-4W-230V-LG, RPL-4W-230V-B/R, RPL-5W-230V-W, RPL-5W-230V-WW, RPL-5W-230V-Y, RPL-5W-230V-G, RPL-5W-230V-R, RPL-5W-230V-B, RPL-5W-230V-M, RPL-5W-230V-P, RPL-5W-230V-O, RPL-5W-230V-V, RPL-5W-230V-GD, RPL-5W-230V-RGB, RPL-5W-230V-W/WW, RPL-5W-230V-W/B, RPL-5W-230V-W/M, RPL-5W-230V-WW/M, RPL-5W-230V-W/R, RPL-5W-230V-LB, RPL-5W-230V-LG, RPL-5W-230V-B/R, LED-NEON-SINGLE-230V-W, LED-NEON-SINGLE-230V-WW, LED-NEON-SINGLE-230V-Y, LED-NEON-SINGLE-230V-G, LED-NEON-SINGLE-230V-R, LED-NEON-SINGLE-230V-B, LED-NEON-SINGLE-230V-M, LED-NEON-SINGLE-230V-P, LED-NEON-SINGLE-230V-O, LED-NEON-SINGLE-230V-V, LED-NEON-SINGLE-230V-GD, LED-NEON-SINGLE-230V-RGB, LED-NEON-SINGLE-230V-W/WW, LED-NEON-SINGLE-230V-W/B, LED-NEON-SINGLE-230V-W/M, LED-NEON-SINGLE-230V-WW/M, LED-NEON-SINGLE-230V-W/R, LED-NEON-SINGLE-230V-LB, LED-NEON-SINGLE-230V-LG, LED-NEON-SINGLE-230V-B/R, LED-NEON-DOUBLE-230V-W, LED-NEON-DOUBLE-230V-WW, LED-NEON-DOUBLE-230V-Y, LED-NEON-DOUBLE-230V-G, LED-NEON-DOUBLE-230V-R, LED-NEON-DOUBLE-230V-B, LED-NEON-DOUBLE-230V-M, LED-NEON-DOUBLE-230V-P, LED-NEON-DOUBLE-230V-O, LED-NEON-DOUBLE-230V-V, LED-NEON-DOUBLE-230V-GD, LED-NEON-DOUBLE-230V-RGB, LED-NEON-DOUBLE-230V-W/WW, LED-NEON-DOUBLE-230V-W/B, LED-NEON-DOUBLE-230V-W/M, LED-NEON-DOUBLE-230V-WW/M, LED-NEON-DOUBLE-230V-W/R, LED-NEON-DOUBLE-230V-LB, LED-NEON-DOUBLE-230V-LG, LED-NEON-DOUBLE-230V-B/R, LED-NEON-D-230V-W, LED-NEON-D-230V-WW, LED-NEON-D-230V-Y, LED-NEON-D-230V-G, LED-NEON-D-230V-R, LED-NEON-D-230V-B, LED-NEON-D-230V-M, LED-NEON-D-230V-P, LED-NEON-D-230V-O, LED-NEON-D-230V-V, LED-NEON-D-230V-GD,
9405300001	Оборудование световое общего назначения: гирлянды светодиодные бытовые, торговая марка «Neon-Night», модели: LED-NEON-D-230V-RGB, LED-NEON-D-230V-W/WW, LED-NEON-D-230V-W/B, LED-NEON-D-230V-W/M, LED-NEON-D-230V-WW/M, LED-NEON-D-230V-W/R, LED-NEON-D-230V-LB, LED-NEON-D-230V-LG, LED-NEON-D-230V-B/R, LED-NEON-ROUND-230V-W, LED-NEON-ROUND-230V-WW, LED-NEON-ROUND-230V-Y, LED-NEON-ROUND-230V-G, LED-NEON-ROUND-230V-R, LED-NEON-ROUND-230V-B, LED-NEON-ROUND-230V-M, LED-NEON-ROUND-230V-P, LED-NEON-ROUND-230V-O, LED-NEON-ROUND-230V-V, LED-NEON-ROUND-230V-GD, LED-NEON-ROUND-230V-RGB, LED-NEON-ROUND-230V-W/WW, LED-NEON-ROUND-230V-W/B, LED-NEON-ROUND-230V-W/M, LED-NEON-ROUND-230V-WW/M, LED-NEON-ROUND-230V-W/R, LED-NEON-ROUND-230V-LB, LED-NEON-ROUND-230V-LG, LED-NEON-ROUND-230V-B/R, LED-DESIGN-230V-IN-W, LED-DESIGN-230V-IN-WW, LED-DESIGN-230V-IN-Y, LED-DESIGN-230V-IN-G, LED-DESIGN-230V-IN-R, LED-DESIGN-230V-IN-B, LED-DESIGN-230V-IN-M, LED-DESIGN-230V-IN-P, LED-DESIGN-230V-IN-O, LED-DESIGN-230V-IN-V, LED-DESIGN-230V-IN-GD, LED-DESIGN-230V-IN-RGB, LED-DESIGN-230V-IN-W/WW, LED-DESIGN-230V-IN-W/B, LED-DESIGN-230V-IN-W/M, LED-DESIGN-230V-IN-WW/M, LED-DESIGN-230V-IN-W/R, LED-DESIGN-230V-IN-LB, LED-DESIGN-230V-IN-LG, LED-DESIGN-230V-IN-B/R, LED-DESIGN-230V-OUT-W, LED-DESIGN-230V-OUT-WW, LED-DESIGN-230V-OUT-Y, LED-DESIGN-230V-OUT-G, LED-DESIGN-230V-OUT-R, LED-DESIGN-230V-OUT-B, LED-DESIGN-230V-OUT-M, LED-DESIGN-230V-OUT-P, LED-DESIGN-230V-OUT-O, LED-DESIGN-230V-OUT-V, LED-DESIGN-230V-OUT-GD, LED-DESIGN-230V-OUT-RGB, LED-DESIGN-230V-OUT-W/WW, LED-DESIGN-230V-OUT-W/B, LED-DESIGN-230V-OUT-W/M, LED-DESIGN-230V-OUT-WW/M, LED-DESIGN-230V-OUT-W/R, LED-DESIGN-230V-OUT-LB, LED-DESIGN-230V-OUT-LG, LED-DESIGN-230V-OUT-B/R, LED-GARLAND-230V-IN-W, LED-GARLAND-230V-IN-WW, LED-GARLAND-230V-IN-Y, LED-GARLAND-230V-IN-G, LED-GARLAND-230V-IN-R, LED-GARLAND-230V-IN-B, LED-GARLAND-230V-IN-M, LED-GARLAND-230V-IN-P, LED-GARLAND-230V-IN-O, LED-GARLAND-230V-IN-V, LED-GARLAND-230V-IN-GD, LED-GARLAND-230V-IN-RGB, LED-GARLAND-230V-IN-W/WW, LED-GARLAND-230V-IN-W/B, LED-GARLAND-230V-IN-W/M, LED-GARLAND-230V-IN-WW/M, LED-GARLAND-230V-IN-W/R, LED-GARLAND-230V-IN-LB, LED-GARLAND-230V-IN-LG, LED-GARLAND-230V-IN-B/R, LED-GARLAND-230V-OUT-W, LED-GARLAND-230V-OUT-WW, LED-GARLAND-230V-OUT-Y, LED-GARLAND-230V-OUT-G, LED-GARLAND-230V-OUT-R, LED-GARLAND-230V-OUT-B, LED-GARLAND-230V-OUT-M, LED-GARLAND-230V-OUT-P, LED-GARLAND-230V-OUT-O, LED-GARLAND-230V-OUT-V, LED-GARLAND-230V-OUT-GD, LED-GARLAND-230V-OUT-RGB, LED-GARLAND-230V-OUT-W/WW, LED-GARLAND-230V-OUT-W/B, LED-GARLAND-230V-OUT-W/M, LED-GARLAND-230V-OUT-WW/M, LED-GARLAND-230V-OUT-W/R, LED-GARLAND-230V-OUT-LB, LED-GARLAND-230V-OUT-LG, LED-GARLAND-230V-OUT-B/R

Руководитель (уполномоченное лицо) органа по сертификации (подпись) Шведов Владимир Леонидович (Ф.И.О.)

М.П.

Эксперт (эксперт-аудитор) (эксперты (эксперты-аудиторы)) (подпись) Голиков Владислав Андреевич (Ф.И.О.)

АО «ОПЦИОН» Москва, 2020 г., «Б», ТЗ № 845